



US Futures Trade and Quote Guide

version 2.2 (Jul 2021)



algoseek | the market data company

We provide research market data for machine learning and quantitative trading



CONTACT US

We are here to help you do great things with our market and reference data. For questions, feedback, and other concerns, you may reach our team of experts using the following contact information:

algoseek customer support

 support@algoseek.com

 (+1) 646 583 1832

algoseek sales

 sales@algoseek.com

 (+1) 646 583 1832



TABLE OF CONTENTS

INTRODUCTION	5
DATA ORGANIZATION AND FILE FORMAT	5
TIMESTAMP AND MAINTENANCE PERIODS	9
APPENDIX A. TYPEMASK COLUMN	11
APPENDIX B. FREQUENTLY ASKED QUESTIONS	13



INTRODUCTION

algoseek's Futures, Spreads, and Future Options Trade and Quote datasets contain high-quality intraday trade and quote data for all securities listed on US exchanges.

The contract specifications such as underlying asset, the quantity of the asset or contract size, expiration months, delivery location, and the delivery date upon execution can be found on the US futures products list, which is available on the following link: <http://www.cmegroup.com/trading/products/>.

DATA ORGANIZATION AND FILE FORMAT

algoseek provides Futures market data in plain-text CSV files. The first row of the CSV file is a fixed header, and then rows of data corresponding to individual events (see Table 1). By default, data is organized into one file per symbol per trading day. For example, all events for ticker ESH0 on Jan 28, 2020, are stored in one CSV file.

Due to the large data size, CSV files are gzip-compressed (having a csv.gz extension) with a compression ratio of about 8:1.

Table 1: Sample Trade and Quote Data

LocalDate	LocalTime	Ticker	Type Mask	Type	Price	Quantity	Orders	Flags
20200127	180000441	ESH0	161	QUOTE BID	3247.00	27	12	0
20200127	180000487	ESH0	161	QUOTE BID	3247.00	28	13	0
20200127	180000580	ESH0	162	TRADE AGRESSOR ON BUY	3247.25	1	2	0
20200127	180000580	ESH0	97	QUOTE SELL	3247.25	36	28	0
20200127	180000580	ESH0	97	QUOTE SELL	3247.25	35	27	0
20200127	180000735	ESH0	162	TRADE AGRESSOR ON BUY	3247.25	1	2	0
20200127	180000735	ESH0	97	QUOTE SELL	3247.25	34	26	0
20200127	180001130	ESH0	97	QUOTE SELL	3247.25	38	27	0
20200127	180001203	ESH0	97	QUOTE SELL	3247.25	39	28	0
20200127	180001204	ESH0	98	TRADE AGRESSOR ON SELL	3247.00	1	2	0



Note: Columns UTCDate, UTCTime, and SecurityID are not shown.

Table 2 (below) provides the name, description, and data type for each data field (column) in a Futures TAQ data file.

Table 2: CSV File Fields Schema

Field	Type (Format)	Description
UTCDate	string (yyyymmdd)	Trading date in yyyymmdd format (UTC time)
UTCTime	string (HH:MM:SS.mmm or HH:MM:SS.mmmiiinnn)	Event timestamp in nanoseconds (milliseconds before 2016)
LocalDate	string (yyyymmdd)	Trading date in yyyymmdd format (CT time)
LocalTime	string (HH:MM:SS.mmm or HH:MM:SS.mmmiiinnn)	Event timestamp in nanoseconds (milliseconds before 2016)
Ticker	string	Instrument name
CallPut	string	Option type (Call or Put) displayed as "C" or "P". Note: available only in Future Options dataset
Strike	integer	A fixed price for buying or selling underlying outright future contract. Note: available only in Future Options dataset
Month	string	A code for the expiration month for the option contract (as a single letter). Note: available only in Future Options dataset
ExpirationYear	integer	The expiration year of the option contract. Note: available only in Future Options dataset
SecurityID	string	internal security ID used by algoseek
TypeMask	integer	Not in use
Type	string	The type of event
Price	decimal	The opening, trade, ask/bid, and settlement price depending on the type of event
Quantity	integer	The total number of contracts traded or quoted at this price
Orders	integer	The number of customer orders at the price level
Flags	integer	Conditions applicable to the trade/quote



Ticker

Ticker represents the name of the instrument with a maximum of 20 characters. It is a combination of the product code and an expiration month and year code. It may also include a code for spread type, call or put code, and its corresponding strike price for options on futures.

The general symbology scheme for Futures/Futures Options is ZZZMY/ZZZMY.SXXXX, where ZZZ is the base symbol, M is the expiration month code and Y is the last digit of the expiration year, S is the type of the option contract (Call/Put), XXXX is the option contract's strike price.

Some sample tickers:

- **ESZ5:** E-mini S&P 500 futures contract expiring in December 2025.
- **ESZ5 P3600:** E-mini S&P 500 futures put option with a strike price of \$3600 expiring in December 2025.
- **ZSX3-ZSF3:** Soybean Spread between November 2023 and January 2023.

Use the link below to match the expiration month code with the corresponding month <https://www.cmegroup.com/month-codes.html>. The expiration year code corresponds to the last digit of the year.

Event Types

Table 3 and Table 4 contain names and descriptions of event types which can be found in Futures TAQ data files.

Table 3: Trade and Quote Event Types

Type	Description
QUOTE BID	Exchange's best bid quote
QUOTE SELL	Exchange's best sell (ask) quote
TRADE AGRESSOR ON BUY	Refers to the trade with the initiator on the buy-side
TRADE AGRESSOR ON SELL	Refers to the trade with the initiator on the sell-side
TRADE	Refers to the trade with the initiator unknown (the side cannot be determined)

**Table 4: Statistics Event Types**

Type	Description
OPENING PRICE	Indicates the first trade for the opening or re-opening of the instrument
FIXING PRICE	A volume-weighted average price for the nearby (front month) contract
TRADE VOLUME	Represents the number of contracts traded for the given instrument for the trading session
SETTLEMENT PRICE	An official price established for the instrument at a given point in the trading day
OPEN INTEREST	The total number of contracts per instrument that are not yet offset or fulfilled for the previous trading day. It is sent before the start of the trading session
FINAL EMPTY BOOK	Indicates that there is no current bid or ask. It is used during regular trading hours when there is a reset in the feed, and during maintenance or halt periods when stopping and starting the feed

Implied Events. Each event type present in the table above can have an implied indicator. For instance, an implied trading volume is IMPLIED TRADE VOLUME, implied Bid quote is IMPLIED QUOTE BID, etc. An implied event represents a quantity not derived from any fundamental market information

Implied Quotes. An Implied Quote is based on relationships between futures contracts. It is not the actual price of the Futures' bid or ask but is rather implied from another trade (e.g., as part of a spread). It is often away from the current regular bid or ask. For more details, see: <http://www.cmegroup.com/confluence/display/EPICSANDBOX/Implied+Orders>

Multiple settlement prices. There are multiple settlement prices because exchanges publish settlement prices several times during the day. For the SETTLEMENT PRICE event type, the field “Quantity” represents the trade date (yyyymmdd format) that the settlement price references. For further details, please refer to the link below: <http://www.cmegroup.com/market-data/settlements/settlements-details.html>

Empty Book. This is used by exchanges to indicate that there is no current bid or ask. It is used during regular trading hours when there is a reset in the feed, and during maintenance or halt periods when stopping and starting the feed. An EMPTY BOOK event may also be displayed as EMPTY BOOK BID, EMPTY BOOK FINAL, or EMPTY BOOK BID FINAL.

Orders

For trade events, this field is zero before Nov 22, 2015. Starting Nov 22, 2015. the exchanges moved from FAST/FIX to MDP protocol. That is when this field started to get populated. But it still needs to be ignored as per specs for trades.



Flags

Some events have a flag set for extra information about the event message. Table 5 summarizes flag values.

Table 5: Flags Used in the Dataset

Flag Value	Flag Name
0	Regular
1	Implied
2	SHFlag
4	SLFlag
8	CalculatedPrice
16	Opening

SHFlag and **SLFlag** refer to the session's high and low prices.

Note: When backtesting or building trade bars, do not include trades with Flag 8. This indicates that no actual contracts are being bought/sold as these are calculated prices without any quantity.

TIMESTAMP AND MAINTENANCE PERIODS

Daily File

Each symbol has one file per contract on each trading day containing quotes, trades, open interest, settlement prices, etc. A trading day means UTC time from 00:00 to 24:00.

UTC Timestamps

The field "UTCTime" contains timestamps based on a 24-hour system and follows an HHMMSSZZZ format wherein HHMMSS represents 2-digit values for hours, minutes, and seconds, while ZZZ indicates a 3-digit millisecond value.

Local Timestamps

The field "LocalTime" reflects the current time in Chicago (CST). During winter, the local timestamp is adjusted to UTC -6 and is changed to UTC -5 during daylight saving time (DST). For example, an algoseek Futures timestamp of 181514415 is 18:15:14.415 UTC. During daylight saving time, this converts to 13:15:14.415 CST.



Maintenance and Halt Periods

Futures contracts have different maintenance and trading halt periods based on each specification. For example, Gold's (GC) daily maintenance period is specifically set from 4 pm to 5 pm CST. Please refer to <https://www.cmegroup.com/trading-hours.html> for the comprehensive list of trading hours and maintenance periods for all US exchanges-traded instruments.

During the maintenance period, you will see Quote Bid and Quote Sell prices towards the end of the period. This is indicative of the opening price at 5 pm CST.

Table 6 below shows an example of a maintenance period. The last trade before the period and the first trade afterward are highlighted in red.

Table 6: Maintenance Period in GCQ7 Trading Session

LocalDate	LocalTime	Ticker	TypeMask	Type	Price	Quantity	Orders	Flags
20170614	155958077	GCQ7	2	TRADE AGRESSOR ON SELL	1262.600	1	2	0
20170614	155959323	GCQ7	2	TRADE AGRESSOR ON SELL	1262.500	1	2	0
20170614	160000026	GCQ7	12	IMPLIED EMPTY BOOK FINAL	0.000	0	0	1
20170614	160000026	GCQ7	12	IMPLIED EMPTY BOOK FINAL	0.000	0	0	1
20170614	164147331	GCQ7	7	SETTLEMENT PRICE	1275.900	2017061 4	0	0
20170614	165313448	GCQ7	5	OPENING PRICE	1263.300	0	0	0
20170614	165320557	GCQ7	5	OPENING PRICE	1263.400	0	0	0
20170614	170000019	GCQ7	2	TRADE	1262.700	2	4	0
20170614	170000084	GCQ7	2	TRADE AGRESSOR ON SELL	1262.600	2	2	0
20170614	170000084	GCQ7	2	TRADE	1262.006	0	0	4
20170614	170000085	GCQ7	2	TRADE AGRESSOR ON BUY	1262.600	1	2	0



APPENDIX A. TYPEMASK COLUMN

The Typemask Column is an event type in an 8-bit mask format.

Note: the bit position 0 corresponds to the rightmost bit and 7 is the leftmost bit.

Table 7: TypeMask Flags

Bit Position	Description
0-4	Message type (integer 5-bit value). See Message Type Table
5	Final flag (1 if the transaction is complete; 0 if there is another transaction following this one)
6	Aggressor on the sell-side (trades) or offer (quotes). This is only valid for quotes or trades
7	Aggressor on the buy-side (trades) or bid (quotes). This is only valid for quotes or trades

Table 8 lists integer codes for message type bits.

Table 8: Message Type (Bits 0-4)

Value	Message	Value	Message
0	Heartbeat	13	Insert
1	Quote	14	Update
2	Trade	15	Delete
3	SessionEnd	16	SecurityStatus
4	Prior	17	ElectronicVolume
5	OpeningPrice	18	ThresholdLimits
6	ClosingPrice	19	BandingHighLimitPriceAdd
7	SettlementPrice	20	BandingLowLimitPriceAdd
8	FixingPrice	21	BandingMaxPriceVariationAdd
9	CashNote	22	BandingHighLimitPriceRemove
10	TradeVolume	23	BandingLowLimitPriceRemove
11	OpenInterest	24	BandingMaxPriceVariationRemove
12	EmptyBook		



Event Type Examples

Example 1. SETTLEMENT PRICE: Type 39 = 0010 0111

Message Type (Bits 0-4) = 7, Settlement Price

Bit 5, Transaction Complete

Example 2. TRADE VOLUME: Type 42 = 0010 1010

Message Type (Bits 0-4) = 10, Trade Volume

Bit 5, Transaction Complete

Example 3. OPEN INTEREST: Type 43 = 0010 1011

Message Type (Bits 0-4) = 11, Open Interest

Bit 5, Transaction Complete

Example 4. EMPTY BOOK: Type 108 = 0110 1100

Message Type (Bits 0-4) = 12, EmptyBook

Bit 5, TransactionComplete; Bit 6, Ignore for EmptyBook

Example 5. QUOTE SELL: Type 97 = 0110 0001

Message Type (Bits 0-4) = 1, Quote

Bit 5, Transaction Complete; Bit 6, Aggressor on Offer

Example 6. QUOTE BID: Type 161 = 1010 0001

Message Type (Bits 0-4) = 1, Quote

Bit 5, Transaction Complete; Bit 7, Aggressor on Bid

Example 7. TRADE AGRESSOR ON SELL: Type 98 = 0110 0010

Message Type (Bits 0-4) = 2, Trade

Bit 5, Transaction Complete; Bit 6, Aggressor on Sell

Example 8. TRADE AGRESSOR ON BUY: Type 162 = 1010 0010

Message Type (Bits 0-4) = 2, Trade

Bit 5, Transaction Complete Bit; 7, Aggressor on Buy



APPENDIX B. FREQUENTLY ASKED QUESTIONS

Why do I see incorrect timestamps while importing data into Excel or data frame?

The data columns UTCTime and LocalTime should be imported as text and then just split according to the following scheme

HHMMSSZZZ should be HH:MM:SS.ZZZ